

## ADPH.5... STANDARD SPOOLS FOR ADPH.5 CH. I PAGE 47 TECH. SPECIFICATIONS ADPH5 CH. I PAGE 48 CETOP 2/NG04 CH. I PAGE 2 AD.2.E... CH. I PAGE 4 "A09" DC COILS CH. I PAGE 4 STANDARD CONNECTORS CH. I PAGE 20

## ADPH.5... PILOTED VALVES CETOP 5/NG10 WITH CETOP 2/NG4 PILOT VALVE

খ্যদ brevini

These ADPH 5 valves are used primarily for controlling the starting, stopping and direction of fluid flow. These kind of distributors are composed by a main stage crossed by the big flow from the pump (ADPH.5) and by a cetop 2 pilot directional solenoid valve (AD.2.E) available with different mounting type .

When a short response time is requested, a special version of solenoids with high dynamics is available with the code AD.2.E.\*\*.\*.\*FF.2 (Please, contact our Technical Aron Service).

# HYDRAULIC SYMBOL

#### **O**RDERING CODE

ADPH Piloted valve

The pilot valves AD.2.E...
must be ordered separately

5 CETOP 5/NG10

\*\* Spool type (Table next page)

\*\_\_\_\_ Mounting (Table next page)
Standard orifice at port P: Ø 1mm

Orifice type on
Cetop 2 valves (Table 1)

0 = none

A/B/C/D/E/F/G = orifice on line A

H/I/L/M/N/P/Q = orifice on line B

Piloting and draining type (Tab.2)

I = internal piloting internal draining

**E** = internal piloting external draining

X = external piloting internal draining (special body)

No variant

Serial No.

00


1

Тав.1 -	ORIFICE	ON LINE	A/B


.,,		
On line A	On line B	ø(mm)
0	0	None
Α	н	0,5
В	1	0,6
С	L	0,7
D	М	0,8
E	N	0,9
F	P	1
G	Q	1,2

#### TAB.2 - PLUGS DISPOSAL


Internal piloting



Internal piloting External draining (**E** code)



External piloting Internal draining (**X** code)



#### HYDRAULIC SYMBOLS, SPOOLS AND MOUNTING


HYDRAULIC SYMBOLS, SPOOLS AND MOUNTING					
	"A" MOUNTING				
Pilot Piloted					
Scheme					
Spool type	Ma o v	Covering	Transient position		
01		+			
02		-			
03	XIII	-			
04*		-			
06	XH	+	XIII		
15		- XHI			
16	+ XII				

	"C" MOUNTING			
Pilot Piloted				
Scheme				
Spool type	a o b w	Covering	Transient position	
01		+		
02	XHI	-	XHHHI	
03	XHI	-		
04*		-		
06	XHII	+	XIISIII	

#### (\* Spools with price increasing)

	"B" MOUNTING		
Pilot Piloted			
Scheme			
Spool type	Ф	Covering	Transient position
01		+	
02	- 0		
03		-	FIFT
04*	L IX	-	FIFX
06		+	
15	XIII	I - XHI	
16	ХIП	+	XIII

#### PRESSURE DROPS



The diagram at the side shows the pressure drop curves for spools during normal usage. The used fluid is a mineral oil with a viscosity of  $46\,\mathrm{mm^2/s}$  at  $40\,^\circ\mathrm{C}$ ; the tests have been carried out at a fluid temperature of  $40\,^\circ\mathrm{C}$ . For flow rates higher than those in the diagram, the losses will be those expressed by the following formula:

$$\Delta p1 = \Delta p \times (Q1/Q)^2$$

where  $\Delta p$  will be the value for the losses for a specific flow rate Q which can be obtained from the diagram,  $\Delta p1$  will be the value of the losses for the flow rate Q1 that is used.


Spool type	Connections				
type	P→A	Р→В	A→T	В→Т	P→T
01	4	4	7	7	
02	6	6	8	8	7
03	3	3	8	8	
04	4	4	2	2	3
06	4	4	7	8	
15	2	2	5	5	
16	1	1	2	2	
	Curve No.				

#### PILOT SOLENOID CONTROL VALVE SPECIFICATIONS

	Max. operating pressure: ports P/A/B	250 bar
	Max. operating pressure: port T (dynamic)	70 bar
	Max. piloting pressure	250 bar
	Min. piloting pressure	10 bar
	Max. flow	120 l/min
	Switching times (*see note below)	Energizing: 20 ms
		De-energizing: 50 ms
	Piloting oil volume for engagement	1 cm <sup>3</sup>
	Hydraulic fluid	mineral oil DIN 51524
	Fluid viscosity	$10 \div 500 \text{ mm}^2/\text{s}$
	Fluid temperature	-20°C ÷ 75°C
	Max. contamination level	class 10 in accordance
		with NAS 1638 with filter β₂₅≥75
	Mounting	plate
	Weight ADPH5 without pilot valve	3,4 Kg
	Weight ADPH5 with pilot valve with one so	
Weight ADPH5 with pilot valve with two solenoids		, 0
	· ·	, 3

(\*) All the tests have been carried out with AD.2.E pilot valve with variant FF, mounting type C, spool 03, flow 100 l/min,pressure 160 bar, back pressure on the T line of 2 bar and oil temperature 40°C.

### EXTERNAL BACK PRESSURE ON LINE P (FOR SPOOL IN THE CENTRE POSITION)



When the main spool connect P to T in the centre position, the minimum pressure of 10 bar is needed to move the main spool (see the "Specifications"); for this reason a check valve on the P line (see the drawing above) is necessary.

#### OVERALL DIMENSIONS AND MOUNTING SURFACE

